The name of Mr. K. K. Venkatasubbiah, L.A.M.S., Graduate of the Mysore Government Ayurvedic College; now a student of the Dunham Homœopathic Medical College, Calcutta, son of Sahukar K. Krishnappa Esq., Zemindar, Konanur, Arkalgud Taluk, Hassan District, has been changed. His name in the future will be "K. V. Bhargava," L.A.M.&S.

Ayurveda Vidwan K. K. VENKATASUBBIAH, L.A.M.& S.

LOST.

The Mysore Government Promissory Note No. D 000483 of the 3½ per cent loan of 1951-58 for Rs. 100 last endorsed to the Imperial Bank of India, the proprietor by whom it was never endorsed to any other person, having been lost, notice is hereby given that payment of the above note and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore and that application is about to be made for the issue of a duplicate in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the above-mentioned security.

MACONOCHIE & Co.,
Brokers,
Mercantile Bank Buildings, Madras.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 6310-9, *dated* 20*th September* 1937.

To

The Firms dealing in Electrical Equipment.

Enquiry No. 2438.

HIGH SPEED OIL CIRCUIT BREAKER FOR DAVANGERE TOWN ELECTRIFICATION. E.D. 476.

GENTLEMEN,

In continuation of this office letter No. 5162-71, dated 2nd September 1937, published in the *Mysore Gazette*, dated 16th September 1937, I write to state that the closing date of the above enquiry is further extended from 30th September 1937 to 15th October 1937.

No. S. P. C. 6501-33, *dated* 21*st September* 1937.

To

The Firms dealing in Wires and Cables.

Enquiry No. 2503.

UNDERGROUND VARNISH CAMBRIC INSULATED CABLES.
FOREIGN MAINTENANCE MATERIALS FOR 1937-38. E.D. 486.

GENTLEMEN,

I write to request you to quote your best prices and the earliest time of delivery for the following materials:—

Item 1. 34,000 ft.—No. 8 B. & S., single conductor, V.C. insulated, lead covered and jute served underground cable for 8,000-volts service.
Item 2. 500 ft.—No. 1/0 B. & S. twin conductor stranded V.C. insulated, underground cable, lead covered, jute served and steel armoured, for 600-volts service.
Item 3. 500 ft.—No. 1 B. & S. do do
Item 4. 1,500 ft.—No. 6 B. & S. do do
Item 5. 1,500 ft.—No. 8 B. & S. do do
Item 6. 1,000 ft.—No. 12 B. & S. do do
Item 7. 500 ft.—No. 14 B. & S. do do
Item 8. 2,000 ft.—No. 6 B. & S. three-conductor, stranded V.C. insulated, underground cable, lead covered, jute served and steel armoured for 600-volts service.
Item 9. 500 ft.—No. 4 B. & S. do do
Item 10. 500 ft.—No. 6 B. & S. do but for 5,000-volt service.
N.B.—The prices to be quoted should be per 500 or 1,000 ft.

The cable under Item (1) is required for alternating current, 25 cycles, series street lighting service. Cables under Items 2 to 10, both inclusive, are required for use in A.C. distribution circuits of 25 to 60 cycles and for operation at normal operating voltages between phases as specified under each item.

The clabes to be supplied will have to be manufactured strictly in conformity with the standards laid down in the latest B.E.S.A., A.I.E.E. or American Insulated Power Engineer's Association. The cables will have to be tested before despatch and test certificates should be submitted along with the supply of materials.

The tenderers should submit along with their quotations full technical particulars under the following heads :—

(*a*) The di-electric strength of the varnish cambric per mil at 25° C. used for the manufacture of cable before and after cabling.
(*b*) The actual radial thickness of lead sheath.
(*c*) The actual radial thickness of jute serving.
(*d*) The actual radial thickness of steel tape armour.
(*e*) The guaranteed minimum insulation resistance per 1,000 ft. at 60° F.
(*f*) The minimum safe temperature, for continuous operation.
(*g*) The minimum over-all diameter of the cable.
(*h*) The D.C. resistance of cable per 1,000 ft. at 25° C.
(*i*) The value of di-electric-strength test carried out for a period of 5 minutes on each reel of cable to be supplied.

Samples of cable offered should be supplied by the tenderers along with their quotations.

The prices to be quoted should be on c.i.f., Madras basis and should include the cost of reels on which the cable will have to be supplied in the available maximum lenghts.

Your quotation should reach this office on or before the 25th of October 1937.

No. S. P. C. 6458-80, *dated* 21*st September* 1937.

To

The Firms dealing in Railway Machinery, Electrical Equipment.

Enquiry No. 2505.

SWITCHGEAR FOR THE RAILWAY CENTRAL WORKSHOP AT MYSORE. E.D. 485.

GENTLEMEN,

I write to request you to quote your best prices and the earliest time of delivery for the following materials :—

Item 1. One Switchboard panel, black enamelled slate 2″ thick, mounted on 1½″ pipe frame work and consisting of 2 sections, the top section measuring 48″×24″ and the bottom section 28″×24″ with ⅜″ bevels of all front edges. The panel shall have the following equipment mounted thereon :—

(*a*) One—A.C. ammeter, scaled 0-300 amps. for operating on 5 ampere secondary of current transformer, ratio 300 : 5, 25 cycles.
(*b*) One—Current transformer, indoor, dry type, 300 : 5 ratio, 10-volt-amps., for use on 600-volt circuit and suitable for 1½″ pipe frame mounting.
(*c*) One—Oil Circuit Breaker, double pole, single throw, manually operated, 300-amps. capacity for use on 600-volt circuit, and to be mounted on 1½″ pipe frame work, 5″ back of panel with operating lever in front of panel. The oil circuit breaker should be equipped with one over-current series trip coil to be energised from the 5-amperes secondary of current transformer and with one potential trip coil rated for 230-volt, 25-cycles for automatic tripping of the breaker, respectively on over load and low voltage conditions occurring on the circuit.

Item 2. Six—Single pole, single throw, disconnecting knife switches, 100-amps. capacity mounted on pressed sheet steel, for use on 8,000-volt A.C. circuit. The disconnecting switches should have 90° blades stops and should be provided with safety catch and eye hook for opening the disconnects with hickory rod.

Item 3. Three— Do but of 200-amps. capacity.

Item 4. Six— Do 1,500 amps. capacity but for use on 1,000-volt A.C. circuit.

All the above materials should comply with the latest standards of B.E.S.A. or A.I.E.E. as regards tests and accuracy. All the apparatus shall be entirely satisfactory for the service intended.

Full technical data and illustrated pamphlets describing the Switchgear materials offered should accompany the quotations.

The prices to be quoted should be on c.i.f., Madras basis.

As the materials are required urgently prices may be obtained from your Principal by cable or Air Mail and the quotation sent to us not later than the 25th of October 1937.

No. S. P. C. 6577-88, dated 21st September 1937.

To

The Firms dealing in Paris Green.

Enquiry No. 2509.

PARIS GREEN.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Paris green" with the above enquiry number.

This enquiry will be closed on the 18th October 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Paris green, Non-water colouring containing 55 to 58 per cent arsenic tri-oxide chemically bound, packed in 1 cwt. kegs	50 cwts.	Bangalore or F.O.B., Foreign Port.	

(1) Samples of material offered should accompany your quotation.
(2) Quotations for materials manufactured in Germany should be in Reichmarks and for payment out of the Mysore Government Sandal Oil realizations at the Reichs-Kredit Gesselschaft, Berlin.

No. S. P. C. 6559-76, dated 24th September 1937.

To

The Firms dealing in Pumping Sets.

Enquiry No. 2510.

PORTABLE PUMPING SETS REQUIRED FOR CHAMARAJSAGAR AND WATER WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Portable Pumping Sets required for Chamarajsagar and Water Works" with the above enquiry number.

This enquiry will be closed on the 18th October 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F.O.R.,
1	Pump, portable, hand operated, Cog gear type suction and discharge 2″ capable of lifting 2,000 gallons of water from a depth of 25 ft. and elevate it at the same time to any reasonable distance vertically or horizontally. It should be provided with double arrangement for fitting iron pipe or hose. It should be equipped with Brass lined cylinder. (The pump is required for unwatering pipe line trenches) ..	Two	Bangalore City.
2	25′—2″ Rubber Suction hose both inside and outside wirelined with hose union attached on one end and foot valve and strainer fitted to the other end with hose bands	2 lengths.	
3	30′—1½″ Rubber hose for delivery with wirelined outside with arrangements for being fitted to extra length of iron pipe,.	2 „	
4	Four wheeled light Trolley with open platform mg. 3′ long × 2′ wide suitable for fixing the above pump mounted on brackets attached to 1″ rear axle fitted with 6″ detachable wheels with solid tyres and two similar wheels in front with pivot arrangements for swivel in any direction.	Two.	

No. S. P. C. 6897-905, *dated 23rd September* 1937.

To

The Firms dealing in Laboratory Materials.

Enquiry No. 2513.

SCIENCE APPLIANCES.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule.

The quotations should be for delivery f.o.r., Mysore.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Science Appliances required for the Government Marimallappa's High School, Mysore," with the above enquiry number.

This enquiry will be closed on the 16th October 1937.

SCHEDULE.

LIST I.

Sl. No.	*Description of the articles.*	*Quantity.*
1.	Apparatus to demonstrate the Principle of a Mercurial Barometer. Comprising a glass Cistern with brass protection rings, a brass tube fitted with a rubber stopper through which a graduated Barometer tube passes, a side metal tube for connecting the apparatus to exhaustion or inflation pumps and a special triped for supporting the instrument, with instructions for filling and working	1
2.	Steam Engine Model, horizontal pattern, with oscillating Cylinder, whistle and safety valve, mounted on metal base 22 by 13½ c.m.s., height 22½ c.m.s., with spirit lamp	1
3.	Wooden Model of Air Pump, valve, to explain the action of valve ..	1

Sl. No.	Description of the articles.	Quantity.
4.	Model of Microscope, a very large model fitted with lenses on stand to practically illustrate the "Principles of Microscope"	1
5.	Model of Astronomical Telescope, to show the Principle a very large model fitted with lenses and screen on stand	1
6.	Bell experiment apparatus, consisting of a large Bell Jar fitted with Electric bellpush and Leclanche Cell	1
7.	Turning forks, fitted on nicely polished Resonance box with hammer (Nickel-plated turning forks with screwed shanks, frequency marked, Cl. (256), El. (320); Al. (428); and Cl. (512)	1 set
8.	Voltameter, standard pattern, brass fittings platinum electrodes, two test tubes carried in brass frame, vessel mounted on polished wooden box, with terminals	1
9.	Dynamo, students type, constructed of the best quality material, fittings nickel-plated suitable for motor and steam Engines. Capacity at 2,000-3,000 R.M.P. 2-4 volts, 0-25 Amp. to light one bulb) with bulb and holder, mounted on stand with driving wheels	1
10.	Electric Motor, open type. All parts cast-iron. Very solid construction. Low consumption. Works off a dry Cell. Runs smoothly. Mounted on wooden base with a pulley for driving	1
11.	Wall charts for instruction in Physics, mounted on cloth with rollers. Size 55×90 C.M.S., Set of 14 charts, *viz.*, Hydraulic Press; Air pump; Water Pump; Lift Pump; Levers of 1st order; levers of 2nd order; levers of 3rd order. Principle of Archimedes; Thermometers; E.P. and B.P. of water; Shadows and Eclipses; Compound Microscope; Astronomical Telescope and Camera; Magic Lantern; and Electric Bell	1 set
12.	Wall Charts for Physics 50×72 cms. with Text, mounted on cloth with rollers—parts of Steam Engine	1
13.	Do The Water Supply System and its parts	1
14.	Do Dynamo	1
15.*	Noted at the bottom of the list.	
16.	Chart of the metals-welch, showing variation in chemical properties of the commonest elements and other details about the properties of the elements. Size 28" by 42"	1
	Coloured wall charts for instruction in Chemistry, 75×58 cms. mounted on cloth with rollers.	
17.	Sulpher production	1
18.	Chamber process of manufacture of Sulphuric Acid	1
19.	Nitrogen and Nitric Acid	1
20.	Bell Jars, with broad ground flangs, superior quality stoppered. Ht. 18 cm. dia. 10-5 cm.	4
21.	Bohemian glass, boiling flasks, suitable for all laboratory work Flat bottom—capacity 500 cc. Round bottom—capacity 500 cc.	6 6
22.	Gas Jars. Height—8 in., inside Dia. 2 in.	1 Doz.
23.	Reagent Bottles, with lable deeply etched, Capacity 250 c.c. Having the following lables: Sulphuric acid (Con.), Hydrochloric acid. (Con.), Sulphuric acid (Di.), Hydrochloric acid (Dil.), Nitric acid (Con.) and (Dil.) Total 1 doz.	2 each.
24.	Glass covers—ground on one side 7½ cms., dia.	2 doz.
25.	Measuring Flask with stopper. Cap. 250 c.c. Measuring Flask without stopper, Cap. 250 c.c.	1 2
26.	Calliper Gauge. (Brass superior quality, length 100 M.M.)	6
27.	Apparatus to show that fluid pressure is greater at the greater depth, with 4 orifices, made of stout tin plate	1
28.	Pair of Prisms for recomposition of light, mounted on brass legs, sliding in grooved brass plate, with adjusting screws, on polished mahagony base	1
29.	Simple Hydrometer, made of glass reading from 7 to 1.0 in. card-board box	2 each
30.	Do reading from 1.0 to 1.3 in.	2 „
31.	Wash Bottle—flat bottom fitted with bent tubes and India rubber stopper capacity 500 c.c.	3
32.	Assorted corks	1 gross
33.	Retorts Stoppered. Cap. 250 c.c.	3
*	Coloured wall charts 98×72 cms. mounted on cloth with rollers. Direct current motor and indirect current generators.	1

6 0

Sl. No.	Description of the article.	Quantity.
	LIST II.	
1.	Head with the top of the Cranium renuer, on a plate. The brain, consisting of detachable parts may be taken out. The socket of the eye, and the inner and middle can are opened. The 12 Cranial nerves are exposed to view and the manner in which these nerves come through the base of the skull is shown	1
2.	Apparatus to show that the Stomata place the aeriferous system in direct and open communication with the external air	1
3.	Apparatus to show suction due to transpiration on stand, complete	1
4.	Apparatus for observing the liberation of Gas from assimmilating water plants	1
5.	Pigeon mounted on stand	1
6.	Bouy Fish on stand	1
7.	Charts, showing the external features of the following animals, mounted on cloth with rollers.	
	1. House fly	1
	2. Mosquito	1
	3. Earthworm	1
	4. Fish	1
	5. Frog	1
	6. Pigeon	1
	7. Snake	1
	8. Rabbit	1
	9. Several type of flowers	1
8.	Apparatus to demonstrate the evolution of Carbon-di-oxide from plants.	

No. S. P. C. 6906-15, dated 22nd September 1937.

To

The Firms in dealing Laboratory Furniture.

Enquiry No. 2514.

LABORATORY TABLES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.—

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order, as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Laboratory Tables" with the above enquiry Number.

This enquiry will be closed on the 30th September 1937.

Schedule.

Item No.	Description of material offered.	Quantity	Price quoted F. O. R.	Time of delivery
1	Laboratory Table 7′×3½′ with a depth of 2:5/6′ top 1⅛″ thick on battered wood frame 11/16″ thick with 4 drawers on either sides, 6 legs 4 inches square and rails.	One.	Mysore.	
2	Same as above but with top furnished in black, water and acid proof virulete.	One.		

Reference—See Catalogue No. 11012 C in the latest Catalogue of the Oriental Science Apparatus Workshop, Amballa Cantt.

No. S. P. C. 7150-61, dated 27th September 1937.

To

The Firms dealing in Furniture.

Enquiry No. 2520.

SCIENCE WORK TABLES FOR THE HIGH SCHOOL AT HASSAN.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Science Work Tables", with the above enquiry Number.

This enquiry will be closed on the 15th October 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Teakwood Science work table 6'×4'×2' 9" with six legs. The table should be provided with four drawers and four shelves with shutters. A sketch showing the same can be had from the undersigned. The table should also be provided with a bottle shelf.	Four	Hassan	

No. S. P. C. 7222-36, dated 24th September 1937.

To

The Furniture Contractors.

Enquiry No. 2522.

TEAKWOOD PLANKS, SCANTLINGS, CUT-OUT BOXES, ETC., REQUIRED FOR THE ELECTRICAL DEPARTMENT.

GENTLEMEN,

Please intimate your best present day prices for articles of furniture noted below for delivery free at Bangalore.

Your quotation should be subject to the conditions of contract noted below and should reach this office by 15th October 1937.

Schedule.

Item No.	Description	No. required	Unit of price to be quoted	Lot
				Rs. a. p.
91	Planks teakwood 12″×1″×6 feet	35	Each	
92	Do 6″×2″×8 ,, ...	13	,,	
93	Do 6″×4″×8 ,, ...	66	,,	
94	Do 6″×1″×8 ,, ...	10	,,	
95	Do 4″×3″×14 ,, ...	10	,,	
96	Do 4″×3″×10 ,, ...	10	,,	
97	Do 12″×½″×6 ,, ...	32	,,	
98	Reepers T.W. 6″×1″, 8 to 10 feet lengths ..	R.ft. 200	per 100 R.ft.	
99	Do 2″×1″ do ..	,, 3,500	,, 1,000 ,,	
100	Do 2″×½″ do ..	,, 1,000	,,	
101	Do 1½″×1″ ..	,, 1,000	,,	
102	Planks teakwood 10′×1′×½″	48	Each	
103	Wood Honney 4″×3″×14 feet lengths ..	28	,,	
104	Do 4″×3″×10 feet lengths ..	24	,,	
105	Pine wood ceiling planks 6″×⅝″ 12 ft. to 13 ft. long	40	,,	
106	Teakwood casing and capping 2″×1″, 2-way 8 to 10 ft. long for 14 B. and S. insulated wire	R.ft. 500	per 100 R.ft.	
*107	Teakwood boxes, empty 2-way	400	Each	
*108	Do 6-way	200	,,	
*109	Do 8-way	100	,,	
*110	Do 4-way	30	,,	

* These should be similar to those in use in the Department.

N.B.—Sketches of Cut-out Boxes can be had on application to the undersigned.

Conditions of Contract for the Supply of Articles of Furniture.

1. The articles will be required to be manufactured according to our specifications out of well seasoned Mysore Teakwood, free from all defects, such as, knots, bends, white and sap wood, etc. All the articles are required to be well polished and varnished.

2. The articles will be subject to inspection by an Officer to be deputed for the purpose both during manufacture and after completion and such of the articles as may be found defective during such inspection, either due to bad workmanship or due to use of bad materials, will be rejected and you will be required to replace them by sound ones according to specification.

3. The soundness of all the articles should be guaranteed for one year during which period the defects that may be noticed by the Department will have to be rectified by you at your cost.

4. You should be prepared to execute an agreement undertaking to abide by the conditions of our tender and also to deposit as security a sum not less than five per cent of the value of the order.

5. Withdrawal from the quotation after it is accepted or failure to make supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of Approved Firms.

No. S. P. C. 7284-93, dated 25th September 1937.

To

The Firms dealing in Stationery Articles.

Enquiry No. 2523.

STATIONERY ARTICLES TO MEDICAL STORES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being

made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for certain articles of Stationery required for the Government Medical Stores, Bangalore" with the above enquiry number.

This enquiry will be closed on the 7th October 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
1	Razors,-Double hollow ground, made of finest steel, Black ebonite handle in cardboard boxes	30 Nos.		
2	Books, Blank, 2 quires, Glazed paper, demy size, *unruled*, Calico and marble bound ..	450 „		
3	Books, Blank, ruled, 4 quires creamlaid paper, Foolscap size	450 „		
4	File Books, Foolscap Size	350 „		
5	Needles, Sewing, 3" long-Rodgers	350 „		
6	Blotting paper, "Asoka"—30 lbs. Pink colour	5 Rms.		
7	Ribbed Kraft paper "Shell" Brand 23 lbs. ..	50 „		

N. B.—(1) Samples of articles offered should be furnished.

(2) Supplies will be required to be regulated according to the indents to be made by the Medical Stores, Bangalore, during the year 1937-38.

No. S. P. C. 7444-53, dated 28th September 1937.

To

The Firms dealing in Steel Joists.

Enquiry No. 2525.

STEEL JOISTS 12"×5".

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Steel Joists," with the above enquiry number.

This enquiry will be closed on the 11th October 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Steel Joists of 16 ft. length 12"×5" section at 30 lbs. per ft.	Four	Tumkur.	

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.